



SSF/SSH1515 V2

15.9" Resizing LCD, 1000 nits LED backlight, 1280x512 ultra-wide aspect ratio 16:6.4

SSF/SSH1515 V2 is an innovative ultra-wide, sunlight readable, LED backlight LCD display. It provides LCD panel with specific ratios for digital signage, public transportation, exhibition hall, department store, vending machine and industrial applications. Incorporating with A.D. control board and backlight design, it is high brightness and sunlight readable panel, can display high-quality video with energy-efficient.

Key Features

- Resizing LCD
- Ultra Wide Screen (16 : 6.4)
- Sunlight Readable
- LED Backlight
- High Brightness 1000 nits
- Low Power Consumption
- Wide Dimming
- B/L MTBF 100,000
- Slim Bezel



Specifications

V1

Model No.	SSF1515 V2 / SSH1515 V2
Description	15.9" Resizing LCD, 1000 nits LED backlight, 1280x512
Display Area	376.32 x 150.5 mm
Brightness	1,000 cd/m ²
Resolution	1280 x 512
Aspect Ratio	16 : 6.4
Contrast Ratio	1000:1
Pixel Pitch (mm)	0.294 x 0.294
Pixel Per Inch (PPI)	86
Viewing Angle	170°(H), 160°(V)
Color Saturation (NTSC)	79%
Display Colors	16.7M
Response Time (Typical)	5 ms
Sync	LVDS
Power Consumption	12W / 15W
Operating Temperature	0°C~50°C
Storage Temperature	-20°C~60°C
Dimensions (mm)	396 x 173.6 x 12.1
Weight (Net)	0.95 Kg
LED Driving Board	LID15A
Control Board (Optional)	AD2662GD / AD2662GDVAR
<input type="checkbox"/> AD2662GD	VGA +DVI
<input type="checkbox"/> AD2662GDVAR	VGA +DVI (Optional AV/S-Video/Component/Audio)
F / R Control Button	<input type="checkbox"/> 4 Key
<input type="checkbox"/> 4 Key	Power Switch, Menu, Select (+,-),
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...
Optional	<input type="checkbox"/> AOT <input type="checkbox"/> Touch Screen

Specifications are subject to change without notice.

All brands or product names are trademarks or registered trademarks of their respective companies.

SSF= Resizing Panel+LED Driving Board


SSH= Panel+ LED Driving Board + Control Board




Mechanical Drawing

Outline Dimensions

Unit: mm







Ordering Information

Model Name	Description
SSH1515-ENN-G11	15.9",1000nits,1280*512,LID15.AD2662GD,DC 12V,5in1,V2

Optional Accessories

Part Number	Description
840612051210	ADAPTER,AC/DC,12V/5.4A,65W,Atech OEM A065112-TDx.4P SLIDING CAP,P
810618301010 (Optional)	CABLE.POWER.AC.1830mm.(US Type).3PIN PLUG TO SOCKET.SVT(SPT-2)18AWG 3C BLACK,P
810618301090 (Optional)	CABLE,POWER,AC,1830mm.(EU Type) 3PIN PLUG TO.SOCKET,H05VV-F 3G.0.75MMSQ BLACK,P
810618301050 (Optional)	CABLE,POWER,AC,1830mm.UK(FUSE) 3PIN PLUG TO.SOCKET,H05VV-F 3C(3G) 0.75MMSQ BLACK,P
810618301170 (Optional)	CABLE.POWER,AC,1830mm(AU Type)3PIN PLUG TO 2P SOCKET.LTSA 0.75MMSQ BLACK,P
810618301031 (Optional)	CABLE.POWER.AC.1830mm.(JP Type).2PIN PLUG Y TERMINAL TO. SOCKET.VCTF 3C 0.75MMSQ BLACK,P